

COSHH ASSESSMENT - FAIRY DISHWASHER TABLET



STEP 1 – ASSESSMENT DETAILS

Hazard Control Ref:	CCG-093	Supplier:
Issue Number:	02	Procter & Gamble UK Brooklands PGP, Weybridge, Surrey KT13 0XP Tel: 01932 896000 Fax: 01932 896200 Email: pgsds.im@pg.com
Date Completed:	03 April 2024	
Employee consultation and involvement:	Diego Guerrero	
Re-Assessment Due*:	Two years from above date.	
Assessment Completed By:	Health & Safety Manager	Emergency Telephone Number:
		NHS Medical toxicology information service: 111 (24 hours) Emergency: 999

STEP 2 – PROCEDURES BEFORE STARTING TASK

Read C.O.S.H.H. Assessment	Dilute Chemicals to Manufactures Instructions	Training and Knowledge Company safety Site - induction form: F039	Trained Employees with Appropriate PPE Only to Use This Product.	Perform Visual Check of Equipment and Area to be cleaned	Place Warning Signs at Access/Egress Point
✓	✓	✓	✓	✓	✓

STEP 3– PRODUCT SUMMARY & CLASSIFICATION LABELLING

Product: Name:	Fairy Professional Dishwasher Capsules All in One Original	Symbol (s):	
Hazard Classification:	Serious eye damage/eye irritation H318	Is There a Maximum Exposure Limit (MEL) or Occupation Exposure Limits (OEL):	No national exposure limits known
Container Size:	-	Emergency Fire Procedures:	Dry chemical powder. Alcohol resistant foam. Carbon dioxide (CO2)
Physical Properties:	Physical state: Solid / Odor: Pleasant Color: Colored	Typical Duration of Use:	10-15 min
Product Use:	Dishwasher washing and cleaning product		
Typical Method of Use:	USE as per manufacturer instructions		

COSHH ASSESSMENT - FAIRY DISHWASHER TABLET



Storage:	Store in original container in a cool and dry area. Keep away from heat.	Dilution Ratio:	As per manufacturer Instructions
Spillage/Accidental Release:	Scoop absorbed substance into closing container. For small quantities, wash down with water.	Additional information:	-

STEP 4 – TOXICOLOGICAL INFORMATION

EYES:	Severe pain, redness, swelling, blurred vision	INGESTION:	Oral mucosal or gastro-intestinal irritation. Nausea, vomiting, diarrhea, excessive secretion
SKIN:	Redness, swelling, dryness, itching	INHALATION:	Coughing, sneezing

STEP 5 – PERSONAL PROTECTIVE EQUIPMENT (PPE) to be used: *PPE only required in case of large packs (not for household packs)*

								
Apron	Eye Protection	Wellingtons	Boots	Overall	Fume Mask	Dust Mask	Rubber	Protective
	✓							

STEP 6 – EMERGENCY, FIRST AID & DISPOSAL MEASURES

EYES:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists: get medical advice	INGESTION:	Rinse mouth. Do not induce vomiting. Drink small amount of water to dilute.
SKIN:	Wash with plenty of water and soap. Remove contaminated clothing.	INHALATION:	Move affected person to fresh air and keep at rest in a position comfortable for breathing
DISPOSAL ARRANGEMENTS:			
Dispose of in accordance with local legislation.			

COSHH ASSESSMENT - FAIRY DISHWASHER TABLET



STEP 7 – RISK ASSESSMENT (likelihood X Severity = Risk)

CATEGORY	HAZARD	POTENTIAL HARM	Likelihood	Severity	Risk before Controls	Risk After Controls	COMMENTS
STORAGE	UNLOCKED STORES / OPEN PACKS / SPILLAGES	Contact / Absorption / Inhalation / Ingestion Operatives / Occupiers / visitors	3	2	6	4	H&S Induction training and awareness Reporting and monitoring in place Toolbox talk program in place Competent supervision Trained operatives / PPE
HANDLING / DURING USE	Contact with eyes	Severe pain. Redness. Swelling. Blurred vision	3	2	6	2	Relevant PPE available, Induction form signed, competent Supervision Product Guides & Technical info are available on site as wall charts (Pictograms) Toolbox talks and safety briefings to highlight awareness.
HANDLING / DURING USE	Contact with skin	Redness. Swelling. Dryness. Itching	2	2	4	2	Short use / duration, reporting any abnormalities No eating or drinking in force and supervised For large amount, Suitable eye protection should be worn to protect from chemicals. Toolbox talks and safety briefings to highlight awareness H&S Site Induction and refresh training in place
HANDLING / DURING USE	Ingestion	Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhea.	2	2	4	2	Short use / duration, reporting any abnormalities No eating or drinking in force and supervised Toolbox talks and safety briefings to highlight awareness H&S Site Induction and refresh training in place

COSHH ASSESSMENT - FAIRY DISHWASHER TABLET



OVERALL RISK RATING BEFORE CONTROL:	5	Very Low	Low	Medium	High	COMMENTS
			✓			
OVERALL RISK RATING AFTER CONTROL:	2.5	Very Low	Low	Medium	High	
		✓				

LIKELIHOOD 1. IMPROBABLE OCCURRENCE 2. REMOTED OCCURRENCE 3. REASONABLY PROBABLE OCCURRENCE 4. VERY LIKELY OCCURRENCE 5. ALMOST CERTAIN OCCURRENCE	SEVERITY 1. SLIGHT: NO INJURY or Injury requiring first Aid treatment 2. MINOR: INJURY requiring medical treatment with absence from 3 days to 3 weeks 3. MODERATE: Injury illness resulting in temporary disability (eg. fractures) and absence over 3 weeks 4. SERIOUS: Severe injury or permanent disability (e.g loss of limb, sight) property and equipment damage 5. MAJOR: Immediate danger exist, capable of causing death, loss or damage on a wide scale and serious business disruption (e.g. Explosion, fire, structural damage, etc.)	INTERPRETATION 4 and below very Low risk = No further action, but ensure controls are maintained and review 5 to 8 Low risk = Risk Can be tolerated or for only short term. Plan introduction of measures with a defined time period 9 to 15 Medium Risk = Planned and introduce further control measures to mitigate the risk within a time scale 16 and Above = Stop activity and immediate action
---	---	---

STEP 8 – ADDITIONAL RISK FACTORS

New or Un-Trained Employees	Pregnant Women	Visitors/Contractors/ Members of The Public	Slip Hazards	Unsafe Handling/Storage
✓	✓	✓		✓

STEP 9 – HEALTH SURVEILLANCE & MONITORING

Arrangements for monitoring compliance (including maintenance of control measures):	- Ongoing training - Tool-box-talks - Presentations (via tablets on-site or DVD at offices) - Quality & Health/Safety site inspections - Auditing process - Management monitoring
---	--

STEP 10 – ASSESSMENT FOLLOW UP & REVIEW

Following this assessment:	Review of assessment:
Employees/workers must have been informed of: - The names of substances they may be exposed to; - The risks to health created by exposure; - Any relevant occupational exposure standard, maximum exposure limit or similar self-imposed (in-house) work standard that applies to the substance; - Any information contained on any Safety Data Sheet which relates to the substance; - The significant findings of this assessment; - What precautions to take to protect themselves and others; - The results of any health surveillance; and - The results of any monitoring of exposure.	This assessment must be reviewed/updated : - As part of planned review - If alternative cleaning product/substances are used - If alternative methods or processes are used - Upon client request - Changes to the COSHH, and other relevant, regulations - After consultation with workers or other interested parties - After an accident, incident, near miss or dangerous occurrence