



STEP 1 – ASSESSMENT DETAILS

Hazard Control Ref:	CCE-016	Supplier:
Issue Number:	06	Greenspeed 2280 CG Rjswijk, NL 03451 302230 - 31 70 345 87 37 UK customer careline
Date Completed:	2 March 2026	
Employee consultation and involvement:	Jhon Otalvaro	
Re-Assessment Due*:	Two years from above date.	
Assessment Completed By:	Health & Safety Manager	Emergency Telephone Number:
		NHS Medical toxicology information service: 111 (24 hours) Emergency: 999

STEP 2 – PROCEDURES BEFORE STARTING TASK

Read C.O.S.H.H. Assessment	Dilute Chemicals to Manufactures Instructions	Training and Knowledge Company safety Site - induction form: F039	Trained Employees with Appropriate PPE Only to Use This Product.	Perform Visual Check of Equipment and Area to be cleaned	Place Warning Signs at Access/Egress Point
✓	✓	✓	✓	✓	✓

STEP 3 – PRODUCT SUMMARY & CLASSIFICATION LABELLING

Product: Name:	Swan WC Forte	Symbol (s):	
Hazard Classification:	H318 Eye Dam. 1	Is There a Maximum Exposure Limit (MEL) or Occupation Exposure Limits (OEL):	-
Container Size:		Emergency Fire Procedures:	CO2, foam, powder, sprayed water
Physical Properties:	Physical state: Viscous Liquid / Odour: Fresh Colour: Red	Typical Duration of Use:	1 – 4 hour (S)
Product Use:	Toilet lime scale remover		



Typical Method of Use:	USE as per manufacturer instructions		
Storage:	keep in a sealed container in a closed, frost-free, ventilated room	Dilution Ratio:	✓ Squirt Swan Forte under the toilet bowl or urinal and leave to work for 10 min / Scrub and flush
Spillage/Accidental Release:	Contain released substance and store into suitable containers. If possible, remove by using absorbent material.	Additional information:	<p><u>pH-value 2,2</u></p> <p>Incompatible materials: acids, alkalines, oxidants, reductants</p> <p>Protect from sunlight and do not expose to temperatures exceeding + 50°C. Never mix Swan WC Forte with products containing active chlorine (such as chlorine bleach).</p>

STEP 4 – TOXICOLOGICAL INFORMATION

EYES:	Caustic, redness, blurred vision, pain	INGESTION:	Diarrhoea, headache, abdominal cramps, sleepiness, vomiting
SKIN:	None	INHALATION:	None

STEP 5 – PERSONAL PROTECTIVE EQUIPMENT (PPE) to be used: None specific use

STEP 5.1 - PERSONAL PROTECTIVE EQUIPMENT (PPE) to be used on exceptional concentrations and exposure

									
Apron	Goggles	Glasses	Wellingtons	Boots	Overall	Fume Mask	Dust Mask	Nitrile	Protective
	✓				✓	✓		✓	

STEP 6 – EMERGENCY, FIRST AID & DISPOSAL MEASURES

EYES:	Rinse first with plenty of water, if necessary seek medical attention.	INGESTION:	Rinse first with plenty of water, if necessary seek medical attention.
SKIN:	Rinse with water.	INHALATION:	In case of serious or continuous discomforts: remove to fresh air and seek medical attention.

DISPOSAL ARRANGEMENTS:

Observe safe handling precautions and local legislation.

STEP 7 – RISK ASSESSMENT (likelihood X Severity = Risk)



CATEGORY	HAZARD	POTENTIAL HARM	Likelihood	Severity	Risk before Controls	Risk After Controls	COMMENTS
STORAGE	UNLOCKED STORES / OPEN BOTTLES / SPILLAGES/ ACCIDENTAL MIXING	Contact / Absorption / Inhalation / Ingestion Operatives / Occupiers / visitors	2	3	6	3	H&S Induction training and awareness Lock stores and cupboards Reporting and monitoring in place Tollbox talk programme in place Competent supervision Trained operatives / PPE
HANDLING	Direct contact to eyes	Caustic, redness, blurred vision, pain	4	3	12	3	Short use / duration, reporting any abnormalities Suitable goggles should be worn to protect from chemicals. Toolbox talks and safety briefings to highlight awareness H&S Site Induction and refresh training in place
HANDLING	Mistakenly consume with foods as to exposure through mouth	Diarrhoea, headache, abdominal cramps, sleepiness, vomiting	2	3	6	3	Short use / duration, reporting any abnormalities No eating or drinking in force and supervised Suitable gloves should be worn to protect from chemicals. Toolbox talks and safety briefings to highlight awareness H&S Site Induction and refresh training in place
DURING USE	Inhalation, Absorption, Contact, poor ventilation	skin contact exposure may result irritation on skin	4	2	8	2	Short use / duration, reporting any abnormalities (Screw Dosing cap 10 ml for 1 l bottle / week).. Reduce need of handling concentrate product to once per week No eating or drinking in force and supervised Suitable gloves should be worn to protect from chemicals. Toolbox talks and safety briefings to highlight awareness H&S Site Induction and refresh training in place



DURING USE	Slippery Surface	Injury due to slip, trip, falls	3	3	9	3	H&S Induction training and awareness Reporting and monitoring in place Toolbox talk programme in place Competent supervision Trained operatives / PPE Screw Dosing cap helps to reduce the need of handling concentrate product to once per week
OVERALL RISK RATING BEFORE CONTROL: 8.2			Very Low	Low	Medium	High	COMMENTS
OVERALL RISK RATING AFTER CONTROL: 2.8			Very Low	Low	Medium	High	

<p>LIKELIHOOD</p> <p>1. IMPROBABLE OCCURRENCE</p> <p>2. REMOVED OCCURRENCE</p> <p>3. REASONABLY PROBABLE OCCURRENCE</p> <p>4. VERY LIKELY OCCURRENCE</p> <p>5. ALMOST CERTAIN OCCURRENCE</p>	<p>SEVERITY</p> <p>1. SLIGHT: NO INJURY or Injury requiring first Aid treatment</p> <p>2. MINOR: INJURY requiring medical treatment with absence from 3 days to 3 weeks</p> <p>3. MODERATE: Injury illness resulting in temporary disability (eg. fractures) and absence over 3 weeks</p> <p>4. SERIOUS: Severe injury or permanent disability (e.g loss of limb, sight) property and equipment damage</p> <p>5. MAJOR: Immediate danger exist, capable of causing death, loss or damage on a wide scale and serious business disruption (e.g. Explosion, fire, structural damage, etc.)</p>	<p>INTERPRETATION</p> <p>4 and below very Low risk = No further action, but ensure controls are maintained and a review</p> <p>5 to 8 Low risk = Risk Can be tolerated or for only short term. Plan introduction of measures with a defined time period</p> <p>9 to 15 Medium Risk = Planned and introduce further control measures to mitigate the risk within a time scale</p> <p>16 and Above = Stop activity and immediate action</p>
--	--	--

STEP 8 – ADDITIONAL RISK FACTORS

New or Un-Trained Employees	Pregnant Women	Visitors/Contractors/ Members of The Public	Slip Hazards	Unsafe Handling/Storage
✓	✓	✓	✓	✓

STEP 9 – HEALTH SURVEILLANCE & MONITORING

<p>Arrangements for monitoring compliance (including maintenance of control measures):</p>	<ul style="list-style-type: none"> • Ongoing training • Tool-box-talks • Presentations (via tablets on-site or DVD at offices) • Quality & Health/Safety site inspections • Auditing process • Management monitoring
--	--



STEP 10 – ASSESSMENT FOLLOW UP & REVIEW

Following this assessment:	Review of assessment:
<p>Employees/workers must have been informed of:</p> <ul style="list-style-type: none"> • The names of substances they may be exposed to; • The risks to health created by exposure; • Any relevant occupational exposure standard, maximum exposure limit or similar self-imposed (in-house) work standard that applies to the substance; • Any information contained on any Safety Data Sheet which relates to the substance; • The significant findings of this assessment; • What precautions to take to protect themselves and others; • The results of any health surveillance; and • The results of any monitoring of exposure. 	<p>This assessment must be reviewed/updated :</p> <ul style="list-style-type: none"> • As part of planned review • If alternative cleaning product/substances are used • If alternative methods or processes are used • Upon client request • Changes to the COSHH, and other relevant, regulations • After consultation with workers or other interested parties • After an accident, incident, near miss or dangerous occurrence