

COSHH ASSESSMENT – RECOAT FLOOR CLEANER



STEP 1 – ASSESSMENT DETAILS

Hazard Control Ref:	CCG-114	Supplier:
Issue Number:	03	Dercom B.V. Platinawerf 24A 6641 TL Beuningen – Holland Tel: 0031 24 67 525 74 Fax: 0031 24 67 525 77
Date Completed:	31 March 2026	
Employee Participation & Inv.	Dina Oliveira	
Re-Assessment Due*:	Two years from above date.	
Assessment Completed By:	Health & Safety Manager	Emergency Telephone Number:
		NHS Medical toxicology information service: 111 (24 hours)
		Emergency: 999

STEP 2 – PROCEDURES BEFORE STARTING TASK

Read COSHH Assessment	Training and Knowledge Company safety Site -induction form: F039	Trained Employees with Appropriate PPE Only to Use This Product.	Perform Visual Check of Equipment and Area to be cleaned	Place Warning Signs at Access/Egress Point
✓	✓	✓	✓	✓

STEP 3 – PRODUCT SUMMARY

Product: Name:	Recoat Floor Cleaner	Symbol:	
Container Size:	5 L	Is There a Safer Alternative?	No (upon client request)
Physical Properties:	Liquid	Emergency Fire Procedures:	Alcohol-resistant foam, CO ₂ , powders, water spray NOT USE WATER JET!
Product Use:	Floor cleaning	Typical Duration of Use:	1-2 hour



<p>Hazard Classification:</p>	<p>-H315 Eye Damage Cat 1 H318 Skin Irritation Cat 2</p>	<p>Typical Method of Use:</p>	<p>DAILY CLEANING : Dry Mopping and Vacuuming</p> <p>In addition to the daily regime Dust mop / vacuum twice a week wall to wall.</p> <ul style="list-style-type: none"> • Use a vacuum cleaner with a parquet head/tool and regularly change the dust bag. • Do not use oil-impregnated dust wipes. • Check for stains and remove them with a damp microfibre cloth. • Any stains you find difficult to remove, please contact the manufacturer <p>WEEKLY CLEAN : Dusting and vacuuming does not remove all of the soil and as such at least once a week, cleaning with a mild pH cleaning solution or Recoat Floor Cleaner (diluted 10 – 20 times with water) will be required.</p> <p>Depending on the surface and the contamination/soiling, the weekly clean can be completed using a flat head mop or cleaning machine. For larger areas and those suffering higher levels of soiling, a machine would be more appropriate to reduce cleaning times.</p> <p>Mops :</p> <ul style="list-style-type: none"> • Use a microfibre flat mop system with 2 buckets, one for the dirty water and one for the clean mop water. • Always use a clean mop. • Add Recoat Floor Cleaner diluted 10 – 20 times with water or a mild pH floor cleaner. A degreaser maybe required where grease needs removing. <p>Machine cleaning</p>
-------------------------------	--	-------------------------------	--

COSHH ASSESSMENT – RECOAT FLOOR CLEANER














			<ul style="list-style-type: none"> Use a scrubbing machine or a single disc machine with a white pad. Ensure there is no gritty soil trapped in the pad, change pads frequently. Add Recoat Floor Cleaner (diluted 10 to 20 times with water) or a mild pH floor cleaner. A degreaser maybe required where grease needs removing.
Storage:	Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep away from: oxidising agents, strong alkalis, strong acids.	Dilution Ratio:	As per manufacturer's instructions.
Spillage/Accidental Release:	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations Do not allow to enter drains or watercourses.	Exposure Limit :	2-aminoethanol : TWA: 1 ppm 8 hours. STEL: 3 ppm 15 minutes.

STEP 4 – TOXOCOLOGICAL INFORMATION

EYES:	Causes serious eye damage.	INGESTION:	Not known significant effects or critical hazards
SKIN:	Causes skin irritation.	INHALATION:	Not known significant effects or critical hazards

STEP 5 – PERSONAL PROTECTIVE EQUIPMENT (PPE) to be used

Personal Protective Equipment to be used										
 Apron	 Face Visor	 Safety glasses. EN 166	 Ear Defenders	 Safety Wellingtons	 Safety Boots	 Overall	 Fume/Vapour Mask	 Dust Mask	 Rubber Gloves	 Protective Gloves EN 374
		✓			✓		✓ If the concentration above the exposure limit			✓

STEP 6 – EMERGENCY, FIRST AID & DISPOSAL MEASURES

COSHH ASSESSMENT – RECOAT FLOOR CLEANER



EYES:	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.	INGESTION:	If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
SKIN:	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.	INHALATION:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
DISPOSAL ARRANGEMENTS:			
Recover if possible. In so doing, comply with the local and national regulations currently in force.			

STEP 7 – RISK ASSESSMENT (Likelihood X Severity = Risk)

CATEGORY	HAZARD	POTENTIAL HARM	Likelihood	Severity	Risk before Controls	Risk After Controls	COMMENTS
STORAGE	UNLOCKED STORES / OPEN BOTTLES / SPILLAGES/ ACCIDENTAL MIXING	Contact / Absorption / Inhalation / Ingestion Operatives / Occupiers / visitors	2	2	4	2	H&S Induction training and awareness Lock stores and cupboards Reporting and monitoring in place Toolbox talk programme in place Competent supervision Trained operatives / PPE First Aiders in Place
HANDLING	Inhalation, Ingestion, Absorption, Direct entry Contact	Skin irritation Serious eye damage	3	2	6	2	Relevant PPE available, Induction form signed, competent Supervision
DURING USE	Inhalation, Ingestion, Absorption, Direct entry Contact, poor ventilation	Skin irritation Serious eye damage	4	3	12	3	Short use / duration, reporting any abnormalities No eating or drinking in force and supervised Suitable gloves / eye protection should be worn to protect from chemicals. Toolbox talks and safety briefings to highlight awareness H&S Site Induction and refresh training in place
OVERALL RISK RATING BEFORE CONTROL : 7.3			Very Low	Low	Medium	High	COMMENTS
				✓			
OVERALL RISK RATING AFTER CONTROL: 2.3			Very Low	Low	Medium	High	
			✓				

COSHH ASSESSMENT – RECOAT FLOOR CLEANER



<p>LIKELIHOOD</p> <p>1. IMPROBABLE OCCURRENCE</p> <p>2. REMOVED OCCURRENCE</p> <p>3. REASONABLY PROBABLE OCCURRENCE</p> <p>4. VERY LIKELY OCCURRENCE</p> <p>5. ALMOST CERTAIN OCCURRENCE</p>	<p>SEVERITY</p> <p>1. SLIGHT: NO INJURY or Injury requiring first Aid treatment</p> <p>2. MINOR: INJURY requiring medical treatment with absence from 3 days to 3 weeks</p> <p>3. MODERATE: Injury illness resulting in temporary disability (eg. fractures) and absence over 3 weeks</p> <p>4. SERIOUS: Severe injury or permanent disability (e.g loss of limb, sight) property and equipment damage</p> <p>5. MAJOR: Immediate danger exist, capable of causing death, loss or damage on a wide scale and serious business disruption (e.g. Explosion, fire, structural damage, etc.)</p>	<p>INTERPRETATION</p> <p>4 and below very Low risk = No further action, but ensure controls are maintained and review</p> <p>5 to 8 Low risk = Risk Can be tolerated or for only short term. Plan introduction of measures with a defined time period</p> <p>9 to 15 Medium Risk = Planned and introduce further control measures to mitigate the risk within a time scale</p> <p>16 and Above = Stop activity and immediate action</p>
--	--	--

STEP 8 – ADDITIONAL RISK FACTORS

New or Un-Trained Employees	Pregnant Women	Visitors/Contractors/ Members of The Public	Slip Hazards	Unsafe Handling/Storage
✓	✓	✓	✓	✓

STEP 9 – HEALTH SURVEILLANCE & MONITORING

<p>Arrangements for monitoring compliance (including maintenance of control measures):</p>	<ul style="list-style-type: none"> • Ongoing training • Tool-box-talks • Presentations (via tablets on-site or DVD at offices) • Quality & Health/Safety site inspections • Auditing process • Management monitoring
--	--

STEP 10 – ASSESSMENT FOLLOW UP & REVIEW

Following this assessment:	Review of assessment:
<p>Employees/workers must have been informed of:</p> <ul style="list-style-type: none"> • The names of substances they may be exposed to; • The risks to health created by exposure; • Any relevant occupational exposure standard, maximum exposure limit or similar self-imposed (in-house) work standard that applies to the substance; • Any information contained on any Safety Data Sheet which relates to the substance; • The significant findings of this assessment; • What precautions to take to protect themselves and others; • The results of any health surveillance; and • The results of any monitoring of exposure. 	<p>This assessment must be reviewed/updated:</p> <ul style="list-style-type: none"> • As part of planned review • If alternative cleaning product/substances are used • If alternative methods or processes are used • Upon client request • Changes to the COSHH, and other relevant, regulations • After consultation with workers or other interested parties • After an accident, incident, near miss or dangerous occurrence